HOME ELEVATORS DIRECT, LLC



OVER-SIZE ELEVATOR SHAFT PLAN VIEW

SCALE - NOT TO SCALE

NOTE: ALL DIMENSIONS ARE APPROXIMATE

ADDITIONAL INFORMATION / NOTES:

Ⓐ ¼" THICK MAXIMUM TRIM TO BE INSTALLED ON BACKSIDE OF LANDING DOOR FRAMES.
SEE HED DRAWING "3 X 5 RULE" FOR PROPER POSITIONING OF LANDING DOORS AND FLOORING.

Ⓑ LANDING DOORS TO BE SOLID CORE (BY OTHERS) 1¾" THICK LANDING DOORS RECOMMENDED

Ⓒ **ALL LANDING DOORS AND JAMB/FRAMES ARE TO BE INSTALLED IN A 2" X 4" WALL CONSTRUCTION (OR EQUIVALENT) OR RECESSED TO THE SHAFT SIDE OF THE WALL IN A LARGER WALL CONSTRUCTION. THIS IS MANDATORY TO COMPLY WITH THE 3" X 5" RULE, PER ANSI A17.1; PART 5.3 PRIVATE RESIDENCE ELEVATORS (RULE 5.3.1.4.2). IF CONSTRUCTION OF THE LANDING DOOR WALL(S) IS GREATER THAN 2" X 4" CONSTRUCTION CONSULT WITH ELEVATOR MANUFACTURER'S REP PRIOR TO FRAMING AND INSTALLATION OF DOOR JAMB/FRAMES.**

Ⓓ MINIMUM ADJACENT CORNER RETURN TO BE 8" OR GREATER FOR GATE STACK.

Ⓔ MINIMUM NON-ADJACENT CORNER RETURN TO BE 9" FOR GATE STACK.

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF "**HOME ELEVATORS DIRECT, LLC**" ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF "**HOME ELEVATORS DIRECT, LLC**" IS STRICTLY PROHIBITED.

DRAWING NAME:	DRAWING NUMBER:
LEFT RAIL ADJACENT OPENING	HED_5 OS.LRFS