


HOME ELEVATORS DIRECT, LLC



STANDARD ELEVATOR SHAFT PLAN VIEW

SCALE - NOT TO SCALE

NOTE: ALL DIMENSIONS ARE APPROXIMATE

* IF DIMENSIONS ARE LESS THAN INDICATED CONTACT HED REP FOR PROPER LAYOUT

ADDITIONAL INFORMATION / NOTES:

- (A) $\frac{1}{4}$ " THICK MAXIMUM TRIM TO BE INSTALLED ON BACKSIDE OF LANDING DOOR FRAMES.
SEE HED DRAWING "3 X 5 RULE" FOR PROPER POSITIONING OF LANDING DOORS AND FLOORING.
- (B) LANDING DOORS TO BE SOLID CORE (BY OTHERS) $1\frac{3}{4}$ " THICK LANDING DOORS RECOMMENDED
- (C) **ALL LANDING DOORS AND JAMB/FRAMES ARE TO BE INSTALLED IN A 2" X 4" WALL CONSTRUCTION (OR EQUIVALENT) OR RECESSED TO THE SHAFT SIDE OF THE WALL IN A LARGER WALL CONSTRUCTION. THIS IS MANDATORY TO COMPLY WITH THE 3" X 5" RULE, PER ANSI A17.1; PART 5.3 PRIVATE RESIDENCE ELEVATORS (RULE 5.3.1.4.2). IF CONSTRUCTION OF THE LANDING DOOR WALL(S) IS GREATER THAN 2" X 4" CONSTRUCTION CONSULT WITH ELEVATOR MANUFACTURER'S REP PRIOR TO FRAMING AND INSTALLATION OF DOOR JAMB/FRAMES.**
- (D) MINIMUM ADJACENT CORNER RETURN TO BE 8" OR GREATER FOR GATE STACK.
- (E) MINIMUM NON-ADJACENT CORNER RETURN TO BE 9" FOR GATE STACK.

PROPRIETARY AND CONFIDENTIAL

DRAWING NAME:

DRAWING NUMBER:

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF "HOME ELEVATORS DIRECT, LLC" ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF "HOME ELEVATORS DIRECT, LLC" IS STRICTLY PROHIBITED.

**RIGHT RAIL
3-OPENING LAYOUT**

**HED_7-STD.
RR.3OPENING**